

Confirmation of product specifications





Color:  (Yellow)

Basic parameters


Name	Fully enclosed variable frequency pulse charger
Brand	Longrun Carger
Model	Q1-6kw
Batteries type	Lifepo4 15S Normal voltage : 48V Charging voltage :54.75V Capacity :206ah
Cooling way	Air Cooling
Size	450*280*115mm
Net weight	12kg
Efficiency	>93%
IP	66
Certification	CE FCC
Working temperature	- 20 - 85 °C
Protective properties	1.Output over voltage protection; 2.Output over current protection; 3. Output short circuit protection; 4.Output reverse protection; 5. Over temperature protection of charger; 6. Over temperature protection of battery.
Warranty:	15 months

Specific parameters

Input	Input voltage	AC 220v+-20%
	Frequency	50-60 Hz
	Input current	≤38A
	Input connectors	AC 32a plug 
	Others	/

Output	Output voltage	54.75V
	Output current	85A
	Power	6000w limit
	Output connectors	SC 120a connector 
	Others	With external indicator
Package & Delivery	Carton size:53*32*23cm Gross weight:15kg Lead time:7-10 days	
Others	Please refer to the manual for details	

Installation dimensions



Pictures



Buyer:
Signature
Company:
Date:

Seller :Christina Zeng
TEL/Wechat/Whatsapp: +86 18100830307
Email: chris2016@longrunco.com
Company:CHENGDU LONGRUN CHUANGSHI TECHNOLOGY CO.,LTD
Date:Nov 2th 2022

No text below